

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.39

F. W. SCHUMACHER
HORTICULTURIST -- TREE SEEDS

P. O. B. 131

JAMAICA PLAIN 30, MASS.

SEEDS for the NURSERYMAN and FORESTER -- FALL 1948

P R E L I M I N A R Y O F F E R

So far as possible seed ordered from this list will be delivered in fall or early winter. Final listing of all seeds available from new crops will follow in our general catalogue later. Copies of our 1948 catalogue forwarded on request.

	oz.	1/4 lb.	lb.
ABIES			
amabilis	.55	\$1.50	\$4.50
balsamea	.40	1.10	3.25
cephalonica	.35	.85	2.50
cilicica	.35	.85	2.50
concolor, California	.45	1.25	3.75
firma	.35	.85	2.50
grandis	.55	1.50	4.50
homolepis	.55	1.50	4.50
lasiocarpa	.70	2.00	6.00
magnifica	.50	1.35	4.00
" shastensis	.50	1.35	4.00
nordmanniana	.35	.85	2.50
pectinata (alba)	.30	.65	2.00
pinsapo	.35	.85	2.50
" glauca	.40	1.00	3.00
veitchi	.55	1.50	4.50
ACACIA			
armata	1.00	3.00	
baileyana	.50	1.50	
cultriformis	.75	2.25	
cyanophylla	.35	.85	2.50
cyclops	1.00	3.00	
decurrens	.50	1.50	
" dealbata	.35	.85	2.50
" " fast growing cultural selection	.60	1.60	5.00
" mollis (mollissima)	.35	.85	2.50
" normalis	.50	1.50	
farnesiana	.35	.85	2.50
longifolia	.85	2.25	
" floribunda	.40	1.00	3.00
melanoxylon	.65	1.85	5.50
ornithophora	1.00		
pendula 100 seeds .45 - 1000 seeds 2.75			
podalyriaefolia	.80	2.50	7.50
pycnantha	.65	1.85	5.50
retinodes floribunda	.55	1.50	4.50
saligna	.35	.85	2.50
verticillata	.85		
ACER			
campestre		.20	.60
ginnala, N. E.	.35	.85	2.50
macrophyllum	.20	.50	1.50
negundo		.35	1.00
palmatum, small seeded		2.00	6.00
" atropurpureum		3.35	10.00
platanoides, N. E.		.45	1.25
saccharum	.30	.65	2.00
spicatum, N. E.	.40	1.00	3.00
AILANTHUS			
glandulosa		.25	.75
AKEBIA			
quinata	.50	1.35	4.00

LIBRARY
RECEIVED

★ OCT 29 1948 ★

U. S. Department of Agriculture

	oz.	1/4 lb.	lb.
ALBIZZIA			
julibrissin	.20	.50	1.50
" rosea, a hardy strain (zone 5)	.65	2.00	6.00
ALNUS			
cordata, clean	.35	.85	2.50
incana, clean	.30	.75	2.25
glutinosa, clean	.30	.75	2.25
rugosa, clean, N. E.	.85	2.50	
viridis, clean	.30	.75	2.25
AMELANCHIER			
alnifolia		.65	2.00
grandiflora, N. E.	.70	2.00	
laevis, N. E.	.70	2.00	
stolonifera, large fruited type, N. E.	.70	2.00	6.00
AMORPHA			
fruticosa	.20	.45	1.25
AMPELOPSIS			
aconitifolia, N. E.	.70	2.00	
heterophylla, N. E.	.60	1.75	5.25
quinquefolia, clean	.30	.75	2.25
tricuspidata, clean	.40	1.00	3.00
ARALIA			
chinensis	.70	2.00	
hispida, N. E.	.70	2.00	
spinosa	.60	1.50	4.50
ARAUCARIA			
excelsa	.40	1.00	3.00
ARBUTUS			
unedo, clean	.70	2.00	6.00
ARCTOSTAPHYLOS			
uva-ursi, clean	.60	1.50	4.50
ARISTOLOCHIA			
tomentosa	.35	.85	2.50
ARONIA			
arbutifolia	.30	.75	2.25
atropurpurea	.35	.85	2.50
melanocarpa	.25	.60	1.75
ASIMINA			
triloba	.30	.75	2.25
AUCUBA			
japonica	.25	.60	2.00
AZALEA			
arborescens, N. E.	1.00	1/4 oz.	
calendulacea	.75	1/4 oz.	2.50
calendulacea, select grade New England seed	1.25	1/4 oz.	3.50
Ghent Hybrids, N. E.	3.00	1/4 oz.	
japonica (hardy mollis) from eastern garden			
strain	2.50	1/4 oz.	
" imported seed, Japan -	1.00	1/4 oz.	3.00
kaempferi, home grown, N. E.	3.00	1/4 oz.	
" imported seed, Japan	2.00	1/4 oz.	
" Hybrids, N. E.	2.50	1/16 oz.	
mollis, garden varieties	.85	1/4 oz.	2.50
nudiflora, N. E.	1.00	1/4 oz.	
poukhanensis, N. E.	3.50	1/4 oz.	
rosea, N. E.	2.50	1/4 oz.	
schlippenbachii, N. E.	1.00	1/4 oz.	
vaseyi, N. E.	1.00	1/4 oz.	
BENZOIN			
aestivale	.35	.80	2.50
BERBERIS			
thunbergi, clean	.55	1.00	4.75
thunbergi atropurpurea, dried berries	1.25	3.50	
BETULA			
alba (odorata or pubescens)	.35	.85	2.50
" pendula	.25	.65	2.00
" " clean	.60	1.50	4.50
lenta	.35	.85	2.50
lutea	.35	.85	2.50
papyrifera	.40	1.10	3.25
" clean	.85	2.50	7.50
populifolia	.35	.85	2.50
BIGNONIA			
grandiflora	.60	1.65	5.00
radicans	.35	1.00	3.00

F. W. SCHUMACHER

	oz.	<u>1/4 lb.</u>	<u>lb.</u>
BROUSSONETIA			
papyrifera	.90	2.70	
BUDDLEIA			
davidi (variabilis)	.60	1.65	5.00
" true Orange-eye type	1.00		
" from new garden forms	1.00 1/4 oz.		
CALLUNA			
vulgaris	.30 1/4 oz.	.75	
CAMELLIA			
japonica, from garden specimens	.35	.90	2.75
" seed from Japan	.30	.75	2.35
sasanqua	.35	.85	2.50
CALLICARPA			
americana	.40	1.00	3.00
dichotoma (purpurea)	.70	2.00	
CALYCANTHUS			
floridus	.25	.70	2.10
CAPPARIS			
spinosa	.45	1.20	3.50
CARAGANA			
arborescens	.25	.70	2.10
CARPINUS			
betulus	.25	.50	1.00
caroliniana	.50	1.35	4.00
CASTANEA			
dentata x sativa		.60	2.00
crenata, large fruited		.60	2.00
mollissima		.85	2.50
sativa		.35	1.00
CATALPA			
bignonioides	.20	.50	1.40
ovata	.35	.85	2.50
speciosa	.30	.75	2.25
CEANOTHUS			
americanus, clean	.75	2.35	
thrysiflorus, clean	.85	2.50	
CEDRUS			
atlantica	.40	1.00	3.00
" argentea	.45	1.20	3.50
" glauca	.45	1.25	3.75
deodara	.45	1.20	3.50
libani	.45	1.20	3.50
CELASTRUS			
orbiculatus, clean	.55	1.60	4.75
scandens, clean	.70	2.00	6.00
CELTIS			
mississippiensis	.20	.50	1.50
occidentalis	.15	.35	1.00
" clean	.25	.65	2.00
CEPHALANTHUS			
occidentalis	.20	.45	1.25
CERATONIA			
siliqua	.25	.70	2.10
CERCIDIPHYLLUM			
japonicum, home grown, N. E.	.85	2.50	7.50
CERCIS			
canadensis	.20	.50	1.50
chinensis	.85	2.50	7.50
siliquastrum	.20	.45	1.35
" alba	.20	.60	1.75
CHAMAECYPARIS			
lawsoniana, from garden forms	.40	1.00	3.00
" argentea	.55	1.50	4.50
" aurea	.55	1.50	4.50
" pendula glauca	.55	1.50	4.50
nootkatensis	.60	1.65	5.00
obtusa	.60	1.65	5.00
" aurea	.70	2.00	6.00
pisifera	.70	2.00	6.00
" filifera	.85	2.50	7.50
" plumosa	.85	2.50	7.50
" squarrosa	.85	2.50	7.50
CHAMAEROPS			
humilis	.20	.50	1.50
CHIONANTHUS			
retusa	.70	2.00	6.00
virginicus, clean	.35	.90	2.75

	oz.	1/4 lb.	lb.
CINNAMOMUM			
camphora	.25	.60	1.75
CITRUS			
trifoliata, home grown	.35	.90	2.75
" imported	.25	.60	1.75
CLADRASTIS			
lutea	.50	1.40	4.25
CLEMATIS			
heraclefolia, N. E.	1.00 1/4 oz.		
paniculata, home grown	.70	2.00	6.00
" imported	.60	1.65	5.00
virginiana	.50	1.50	4.50
vitalba	.20	.50	1.50
viticella	.30	.75	2.25
CLERODENDRON			
trichotomum	.75	2.00	
CLETHRA			
alnifolia	.35	.90	2.75
COCCULUS			
carolinus	.25	.60	1.75
COCOS			
australis, clean		.85	2.50
campestris, clean		.85	2.50
plumosa	1,000 seeds 5.00		
COLUTEA			
arborescens	.20	.50	1.50
CORDYLINE (Dracaena)			
indivisa	.45	1.20	3.50
CORNUS			
alternifolia, N. E.	.35	.90	2.75
amomum	.25	.65	2.00
asperifolia	.35	.90	2.75
circinata	.35	.90	2.75
controversa, clean	.70	2.00	
florida, Central States, clean	.25	.65	2.00
" N. E., clean	.25	.65	2.00
" Southern seed, clean	.25	.60	1.75
" from Red Flowered specimens	.35	.80	2.50
kousa	.50	1.35	4.00
mas, clean	.20	.50	1.50
officinalis, N. E.	.40	1.10	3.25
paniculata	.20	.45	1.25
sanguinea, clean	.20	.50	1.50
stolonifera	.20	.45	1.25
CORYLOPSIS			
sinensis	.45 1/4 oz.	1.25	
CORYLUS			
americana	.20	.45	1.25
avellana		.25	.75
avellana atropurpurea	.25	.65	2.00
CORYPHA			
australis, clean		.50	1.50
COTONEASTER			
acutifolia, clean	.85		
bullata, clean	.60		
bullata floribunda	.50	2.00	
dielsiana major	.55	2.00	
divaricata, clean	.55	1.50	4.50
foveolata, clean	.75	1.80	5.50
francheti, clean	.50	1.50	4.50
horizontalis, clean	.50	1.35	4.00
integerrima	.65		
lindleyi, clean	.55	1.35	4.00
lucida	.60		
microphylla, clean	.55	1.35	4.00
moupinensis, clean	.50	1.50	
multiflora	.75	2.00	
pannosa, clean	.65	1.65	4.95
simonsi, clean	.50	1.50	4.50
zabeli	.50	1.50	
CRATAEGUS			
arnoldiana, clean	.40	1.00	3.00
coccinea, clean	.30	.75	2.25
cordata (phaenopyrum), clean	.45	1.25	3.75
crus-galli, clean	.35	.90	2.75
mollis, clean	.30	.80	2.50

F. W. SCHUMACHER

CRATAEGUS (cont.)	oz.	1/4 lb.	lb.
nitida, clean	.55	1.50	4.50
oxyacantha, clean	.20	.45	1.35
oxyacantha monogyna, clean	.20	.45	1.25
pinnatifida, clean	.45	1.20	3.50
prunifolia, clean	.35	.90	2.75
punctata, clean	.40	1.00	3.00
tomentosa, clean	.45	1.25	3.75
CRYPTOMERIA			
japonica, European seed	.30	.75	2.35
" Oriental "	.50	1.35	4.00
" elegans	.55	1.50	4.50
" lobbi	.60	1.65	5.00
CUNNINGHAMIA			
lanceolata	.45	1.25	3.75
CUPRESSUS			
arizonica (glabra or bonita) domestic seed	.45	1.20	3.50
" imported	.40	1.00	3.00
forbesi	1.25	3.50	
funnebris	.40	1.00	3.00
goeniana	.35	.90	2.75
lusitanica	.40	1.00	3.00
" benthami	.40	1.00	3.00
macnabiana	.60	1.65	5.00
macrocarpa	.45	1.20	3.50
" from garden specimens	.50	1.35	4.00
sempervirens horizontalis	.20	.50	1.50
" stricta	.20	.55	1.55
torulosa	.25	.75	2.25
" majestica	.35	.90	2.75
CYDONIA			
japonica	.55	1.35	5.00
" pygmaea	.50	1.50	4.50
CYTISUS			
austriacus .65 1/4 oz.	2.00		
nigricans	.70	2.00	6.00
purpureus .45 1/4 oz.	1.25		
scoparius	.25	.65	2.00
" new vari-colored Hybrids 1.00 1/4 oz.	3.00		
supinus	1.00	3.00	
DAPHNE			
laureola	.85		
mezereum	.45	1.20	3.50
" rubrum	.55	1.65	5.00
DAVIDIA			
involucrata, price upon inquiry			
DIOSPYROS			
kaki	.35	.85	2.50
lotus	.25	.65	2.00
virginiana	.15	.35	1.00
" northern	.20	.45	1.25
DISANTHUS			
cercidifolius	.75	2.20	6.50
DRACAENA			
draco, clean	.55	1.40	4.25
ELEAGNUS			
angustifolia, clean	.20	.45	1.25
" D. B.		.25	.75
argentea, clean	.25	.65	2.00
longipes (multiflora), clean	.45	1.20	3.50
umbellata, clean	.45	1.20	3.50
ENKLIANTHUS			
campanulatus, home grown, N. E.	.65 1/4 oz.	2.00	
" albiflorus, N. E.	.75 1/4 oz.	2.50	
ERIOBOTRYA			
japonica	.35	.90	2.75
ERYTHEA (Brahea)			
armata, clean	.40	1.10	3.25
edulis, clean	.40	1.10	3.25
ERYTHRINA			
crista-galli	.35	.90	2.75
EUCALYPTUS			
botryoides	.80	2.70	7.00
calophylla .40 1/4 oz.	1.00		
citriodora .40 1/4 oz.			
corynocalyx (cladocalyx) .65 1/4 oz.	2.00		

F. W. S C H U M A C H E R

EUCALYPTUS (cont.)		oz.	1/4 lb.	lb.
eugenoides	.40 1/4 oz.	1.25		
fastigiata	.40 1/4 oz.	1.00		
ficifolia	100 seeds .75			
"	1000 seeds 6.00			
globulus		.75	2.10	6.25
" compacta	.50 1/4 oz.	1.50		
gunnii		.80	2.70	7.00
leucoxylon	.40 1/4 oz.	1.00	2.75	10.00
" rosea	.50 1/4 oz.	1.50		
mac.arthuri	.40 1/4 oz.	1.00		
maideni	.50 1/4 oz.	1.50		
pilularis	.40 1/4 oz.	1.00		
polyanthemos	.50 1/4 oz.	1.50		
robusta (multiflora)	.40 1/4 oz.	1.25		
rostrata (camaldulensis)		.85	2.25	7.75
rudis	.40 1/4 oz.	1.00		
saligna		.80	2.70	7.00
sideroxylon rosea	.40 1/4 oz.	1.25		
tereticornis (umbellata)	.40 1/4 oz.	1.25		
viminalis		.80	2.70	7.00
EUONYMUS				
alatus, clean		.55	1.50	4.50
americanus		.35	1.00	3.00
atropurpureus		.30	.75	2.25
bungeanus		.35	.85	2.50
europaeus		.30	.70	2.10
japonicus		.20	.50	1.60
latifolius		.25	1.00	3.00
planipes (sachalinensis)		.75		
FAGUS				
sylvatica, price upon inquiry				
FIRMIANA				
simplex		.35	.95	2.75
FRANKLINIA				
alatomaha	100 seeds 1.50 - 1,000 seeds 12.50			
FRAXINUS				
americana		.25	.75	
excelsior		.25	.70	
"	seed from pendula form	.25	.60	2.00
lanceolata		.30	.90	
nigra		.20	.50	1.50
ornus		.35	1.00	
quadrangulata		.20	.50	1.50
GARDENIA				
florida		.75	2.20	6.50
GAYLUSSACIA				
frondosa		.50	1.35	4.00
GINKGO				
biloba			.45	1.25
GLEDITSIA				
sinensis		.35	.85	2.50
triacanthos		.15	.45	1.25
" inermis		.15	.45	1.30
GREVILLEA				
robusta		.65	2.00	6.00
GYMNOCLADUS				
dioicus			.20	.60
HALESIA				
monticola		.35	1.00	3.00
" rosea		.45	1.25	
tetraptera		.20	.50	1.50
HAMAMELIS				
japonica		.70	2.00	6.00
vernalis (tall form) from garden specimens		1.00	3.00	
" tomentella (bush type)		1.50		
virginiana		.40	1.00	3.00
HIBISCUS				
syriacus		.20	.50	1.50
" from double flowered specimens		.30	.60	2.00
HICORIA				
alba				.35
cordiformis				.30
glabra				.30
laciniosa				.30
ovata				.25

F. W. S C H U M A C H E R

HICORIA (cont.)	oz.	1/4 lb.	1b.
pecan, Northern Naturals			.75
" large fruited Papershells			.95
HIPPOPHAE			
rhamnoides	.35	.75	2.25
HOVENIA			
dulcis	1.00		
IDESIA			
polycarpa	.55	1.50	4.50
ILEX			
aquifolium, clean	.25	.60	2.00
cornuta, clean, imported	.55	1.50	4.50
" " home grown	.60	1.65	5.00
crenata, clean	.45	1.20	3.50
glabra	.30	.60	2.00
laevigata	.30	.75	2.25
opaca, clean	.45	1.25	3.75
" from its northern range, clean	.60	1.65	5.00
verticillata	.25	.65	2.00
" clean	.45	1.20	3.50
INDIGOFERA			
dosua	1.25		
JUGLANS			
californica		.20	.55
" hindsii		.20	.60
cinerea		.15	.30
nigra, from wild trees		.15	.30
" from named orchard varieties--choice of Ohio-Stabler-Ten Eyck-Thomas		.20	.50
regia		.30	.80
sieboldiana		.50	1.50
" cordiformis		.50	1.50
JUNIPERUS			
chinensis, clean	.70	2.00	6.00
communis depressa,	.25	.75	2.25
" upright columnar type, clean	.45	1.20	3.50
" montana (siberica)	.45	1.20	3.50
excelsa, clean	.45	1.20	3.50
formosana, clean	1.00	3.00	
horizontalis	.30	.80	2.50
japonica	.75	2.20	6.50
monosperma	.80	.80	2.50
oxycedrus, clean	.45	1.20	3.50
rigida	.75	2.20	6.50
scopulorum	.25	.65	2.00
" clean	.60	1.65	5.00
" the more dainty and finer leaved southern form	.35	.75	2.25
" clean	.65	1.90	5.75
virginiana, Southern	.15	.35	1.25
" " clean	.45	1.20	3.50
" Platte River	.30	.65	2.00
" " " cleaned and floated, 90% sound seed	.70	2.00	6.00
KALMIA			
latifolia	.50 1/4 oz.	1.50	
" New England	.75 1/4 oz.	2.25	
KERRIA			
japonica	.85	2.50	7.50
KETELEERIA			
fortunei	.55	1.50	
KOELREUTERIA			
paniculata	.20	.60	1.75
KOLKOWITZIA			
amabilis	1.50	4.75	
LABURNUM			
alpinum	.25	.70	2.10
vulgare	.25	.70	2.10
LAGERSTROEMIA			
indica	.50	1.50	4.50
LARIX			
europaea	.60	1.50	4.50
leptolepis, 60% germination	.85	2.50	7.50
" 45% "	.80	2.35	7.00
occidentalis	1.25	3.35	10.00
siberica	1.40	4.00	

F. W. S C H U M A C H E R

	oz.	1/4 lb.	lb.
LAUROCERASUS			
caroliniana	.25	.50	1.50
lusitanica, clean	.35	.85	2.50
officinalis	.25	.50	1.50
LAURUS			
nobilis	.15	.45	1.25
LESPEDeza			
formosa	.50	1.40	4.20
LEUCOTHOE			
catesbaei, N. E. seed	.45 1/4 oz.	1.25	
LIGUSTRUM			
amurense	.20	.50	1.60
ibota	.15	.45	1.35
japonicum	.15	.40	1.30
" clean	.35	.70	2.10
lucidum	.20	.55	1.65
nepalense	.25	.65	2.00
sinensis ("South" Privet) clean	.25	.75	2.25
vulgare	.25	.65	2.00
LIBOCEDRUS			
decurrens	.40	1.10	3.25
LIQUIDAMBAR			
styraciflua	.50	1.50	4.50
LIRIODENDRON			
tulipifera	.20	.35	1.10
LIVISTONIA			
chinensis (Latania borb.)	.50	1.35	4.00
LONICERA			
maacki podocarpa	.40	1.00	3.00
morrowi	.70	2.00	
ruprechtiana	.70	2.00	
tatarica, clean	.65	1.90	5.75
LYCIUM			
horridum	.50 1/4 oz.	1.50	
MACLURA			
pomifera		.40	1.25
MAGNOLIA			
acuminata, clean	.35	.90	2.75
conspicua (Yulan)	.60	1.60	5.00
glauc, clean	.45	1.30	3.75
grandiflora	.20	.50	1.50
" clean	.35	.90	2.75
hypoleuca, clean	.65	1.75	5.25
kobus, clean	.55	1.60	4.75
liliflora	.60	1.65	5.00
soulangeana	.40	1.10	3.25
" lennei	.45	1.25	3.75
tripetala, clean	.30	.65	2.50
MAHONIA			
aquifolia, clean	.35	1.00	3.00
nervosa	.55	1.65	5.00
MALUS			
baccata, dried pomes	.20	.50	1.50
" clean		2.50	7.50
coronaria, clean	1.45	4.00	12.00
common, Apple for stock-French Cider Crab	.25	.75	2.25
floribunda, clean	.85	2.50	7.50
sargentii, dried pomes	.25	.75	2.25
sieboldi, clean	.75	2.50	7.50
theifera, dried pomes	.30	.80	2.50
MENISPERMUM			
canadense	.25	.60	2.00
MESPILUS			
germanica	.25	.60	2.00
MORUS			
alba	.50	1.35	4.00
" tatarica	.40	1.00	3.00
nigra	.55	1.50	4.50
MYRICA			
carolinensis	.35	.85	2.50
cerifera	.40	1.10	3.25
NANDINA			
domestica, home grown, berries	.30	.75	2.25
" imported, clean	.65	1.85	5.50
" white berried, imported, clean	.75	2.20	6.50

F. W. SCHUMACHER

	oz.	$\frac{1}{4}$ lb.	lb.
NEMOPANTHUS			
mucronatus	.40	1.00	3.00
NERIUM			
oleander	.45	1.20	3.60
NYSSA			
aquatica	.15	.45	1.35
sylvatica, northern	.15	.45	1.35
" southern	.15	.45	1.35
OLEA			
europaea	.20	.60	1.75
OXYDENDRON			
arboreum, clean	.50 $\frac{1}{4}$ oz.	1.50	
PAEONIA			
suffruticosus (arborea or moutan), home grown			
10 seeds .50 - 100 seeds	4.50		
PALIURUS			
aculeatus (spina-christi), clean	.20	.55	1.60
PAULOWNIA			
fortunei	.50		
tomentosa	.20	.55	1.60
PHASEOLUS			
caracalla 100 seeds	1.25		
PHILADELPHUS			
coronarius	.70	2.00	6.00
" garden varieties	1.00		
grandiflorus	.70	2.00	6.00
pubescens	1.00	3.00	
purpurascens	.50 $\frac{1}{4}$ oz.	1.50	4.50
PHOENIX			
canariensis		.45	1.25
dactylifera		.60	1.75
hybrida		.80	2.50
reclinata		.60	2.00
sylvestris		.75	2.25
PHOTINIA			
villosa, clean	.70	2.00	6.00
PICEA			
canadensis (alba or glauca)	1.15	3.35	10.00
" Black Hills variety	1.15	3.35	10.00
engelmanni	.90	2.65	8.00
excelsa, Northern Europe, extreme North	.55	1.50	4.50
" " " the vigorous			
Lowland Strain	.65	1.75	5.25
" Central Europe	.55	1.50	4.50
" Western Europe	.65	1.75	5.25
jezoensis hondoensis	.95	3.35	10.00
morinda (smithiana)	.70	2.00	6.00
orientalis	.90	2.65	8.00
polita	.95	3.35	10.00
pungens	1.45	4.00	12.00
sitchensis	1.45	4.00	12.00
PIERIS			
floribunda	.75		
" N. E.	.50 $\frac{1}{4}$ oz.	2.00	
japonica	.50 $\frac{1}{4}$ oz.	1.50	
mariana, N. E.	1.00 $\frac{1}{8}$ oz.		
PINUS			
albicaulis	.45	1.20	3.50
armandi	.75	2.00	6.00
banksiana	1.20	3.35	10.00
canariensis	.60	1.65	5.00
caribaea	.45	1.35	4.00
cembra	.20	.45	1.35
contorta	.85	2.50	7.50
" latifolia (murrayana)	.80	2.45	7.25
densiflora	.50	1.35	4.00
echinata	.90	2.65	8.00
edulis	.35	.85	2.50
excelsa	.40	1.00	3.00
flexilis	.45	1.25	3.75
halepensis	.30	.75	2.25
jeffreyi	.45	1.25	3.75
koraiensis	.50	1.35	4.00
lambertiana	.55	1.40	4.25
maritima	.20	.50	1.50
massoniana	.50	1.35	4.00

F. W. S C H U M A C H E R

PINUS (cont.)	oz.	1/4 lb.	lb.
monophylla	.35	.85	2.50
montana (mugus), European Alps	.65	1.80	5.50
" " Lowland seed	.45	1.20	3.50
" gallica	.75	2.20	6.50
" uncinata	.60	1.65	5.00
monticola	.85	2.45	7.25
muricata	.80	2.35	7.00
nigra, Central Europe	.60	1.65	5.00
" Southern Europe	.50	1.35	4.00
" calabarica	.65	1.75	5.25
palustris	.30	.85	2.50
parviflora	.55	1.50	4.50
pinia	.20	.45	1.25
ponderosa, Giant Pacific Coast race-			
Timber strain	.55	1.50	4.50
" Northern Rocky Mountain origins	.45	1.20	3.50
" scopulorum	.45	1.20	3.50
pumila	1.45	4.00	12.00
radiata	.50	1.45	4.25
rigida, N. E.	.55	1.50	4.50
sabiniana	.25	.65	2.00
strobis	.70	2.00	6.00
sylvestris, Northern Europe, straight			
timber strain	.85	2.50	7.50
" Western Europe, green strain	.55	1.60	4.75
taeda	.55	1.50	4.50
thunbergi	.55	1.50	4.50
PITTOSPORUM			
crassifolium	.60	1.65	5.00
eugenoides	.60	1.65	5.00
tobira, clean	.30	.80	2.50
undulatum, clean	.55	1.50	4.50
PISTACIA			
chinensis	.65	2.00	
PLATANUS			
occidentalis	.20	.35	1.00
" clean	.25	.50	1.50
orientalis	.20	.45	1.25
POINCIANA			
gilliesi	.35	.85	2.50
PRUNUS			
americana	.25	.60	1.75
amygdalus (communis)	.20	.45	1.25
armeniaca, clean (Apricot)		.15	.40
" ansu, clean	.25	.05	2.00
avium, clean Mazzard	.25	.50	1.50
" Sweet Cherry		.25	.75
besseyi	.35	1.00	3.00
cerasifera (Myrobolan), clean	.20	.45	1.35
davidiana	.50		
demissa melanocarpa, clean	.20	.55	1.60
ilicifolia, clean	.30	.75	2.35
japonica	.65	1.65	
lannesiana	.60	1.65	5.00
lyoni (integrifolia)	.30	.75	2.35
mahaleb, clean	.25	.65	1.75
mume	.35	.80	2.50
pennsylvanica, clean	.35	.80	2.50
persica (Peach Lovell var.)			.35
salicina (triflora) from cultivated			
varieties, clean	.20	.45	1.25
serrulata	.60	1.65	5.00
serotina, clean	.20	.45	1.25
spinosa, clean	.20	.50	1.50
tomentosa, clean	.60	1.65	5.00
virginiana	.25	.60	2.00
PSEUDOLARIX			
kaempferi (amabilis)	.55	1.50	4.50
PSEUDOTSUGA			
douglasi, Rocky Mountain origins	1.35	4.00	12.00
PTELEA			
trifoliata	.20	.50	1.50
PUERARIA			
thunbergiana	.45	1.10	3.25

	oz.	1/4 lb.	1b.
PYRACANTHA			
coccinea, clean	.30	1.00	3.00
PYRUS			
serotina	.80	2.35	7.00
QUERCUS			
rubra (borealis maxima) 10 lbs.	2.50		
" ambigua (borealis) 10 lbs.	2.50		
palustris 10 lbs.	3.50		
RHAMNUS			
cathartica, clean	.40	1.00	3.00
crenata	.65		
frangula	.25	.00	2.00
RHODODENDRON			
arboreum	.45 1/4 oz.		
carolinianum, N. E.	.85 1/4 oz.	2.50	
catawbiense, N. E.	1.00 1/4 oz.	3.00	
" compactum, N. E.	1.25 1/16 oz.		
" hybrids, N. E.	2.00 1/4 oz.		
fortunei	1.25 1/8 oz.		
griffithianum var. aucklandi	.50 1/4 oz.		
maximum, N. E.	.50 1/4 oz.	1.75	
metternichi	.75 1/4 oz.		
ponticum, Southern Europe	.50 1/4 oz.	1.50	
" Northern Europe	1.00 1/4 oz.	3.00	
RHODOTYPOS			
kerrioides	.45	1.20	3.50
RHUS			
canadensis (aromatica), clean	.35	.75	2.25
copallina	.20	.50	1.50
cotinus	.30	.70	2.10
glabra		.35	1.00
trilobata, clean	.35	.80	2.50
typhina		.35	1.00
ROBINIA			
pseudoacacia	.20	.45	1.25
viscosa	.35	.85	2.50
ROSA			
blanda	.20	.45	1.25
" clean	.45	1.10	3.35
canina, clean		.35	1.00
humilis	.20	.50	1.50
" clean	.45	1.25	3.75
lucida (virginiana)	.25	.75	2.25
multiflora, thornless, clean	.55	1.40	4.25
" thorny, clean	.45	1.10	3.25
palustris	.25	.60	2.00
rubiginosa, clean	.45	1.15	3.50
rubrifolia, home grown, N. E.	.35	.85	2.50
rugosa, clean	.25	.75	2.25
setigera, dried hips	.25	.55	1.60
" clean	.60	1.65	5.00
wichuraiana, clean	.55	1.50	4.50
SABAL			
minor (adansoni)	.50	1.35	4.00
SAMBUCUS			
canadensis, clean	.30	.85	2.50
SAPINDUS			
drummondi	.25	.65	2.00
SASSAFRAS			
varifolium	.20	.50	1.50
SCHINUS			
molle	.20	.50	1.50
SCIADOPITYS			
verticillata	.85	2.35	7.00
SEQUOIA			
gigantea	1.00	3.00	8.50
sempervirens	.65	1.85	5.50
SHEPHERDIA			
argentea	.50	1.35	4.00
canadensis	.50	1.40	4.25
SKIMMIA			
japonica, clean	.45	1.20	3.50
SMILAX			
rotundifolia	.40	1.10	3.25
walteri	.50	1.50	
SOPHORA			
japonica	.20	.45	1.35

F. W. SCHUMACHER

	oz.	1/4 lb.	lb.
SOPHORA (cont.)			
japonica seed from pendula form	.25	.55	1.60
SORBUS			
americana	.35	.85	2.50
aria, clean	.45	1.15	3.50
aucuparia, domestic, dried berries	.20	.50	1.50
" imported, clean	.50	1.40	4.25
STAPHYLEA			
trifolia	.30	.65	2.00
STEWARTIA			
koreana, N. E.	1.00 1/4 oz.	3.00	
monadelpha, N. E.	1.00 1/4 oz.	3.00	
pseudocamellia	1.00	3.35	
STYRAX			
americana	.25	.65	2.00
japonica	.40	1.00	3.00
obassia	.45	1.25	3.75
philadelphoides	.70		
SYMPHORICARPOS			
racemosus, clean	.05	2.40	
vulgaris	.30	.75	2.25
SYRINGA			
amurensis	.90	2.50	
henryi (villosa x josikaea)	1.00	3.00	
japonica	.95	2.50	
josikaea	1.00	3.00	
prestonae (reflexa x villosa)	1.00	3.00	
villosa, clean	.75	2.20	6.50
vulgaris, clean	.50	1.35	4.00
" choice French Hybrids, clean	.70	2.00	6.00
TAMARIX			
gallica	.20	.65	2.00
TAXODIUM			
distichum		.25	.85
" clean	.35	.85	2.50
TAXUS			
baccata		.65	2.00
cuspidata, home grown	1.00	3.00	9.00
" seed from Japan (the so-called capitata form)	.55	1.50	4.50
media hicksi	1.00	3.00	
THEA			
sinensis	.35	.90	2.75
THUJA			
occidentalis	.65	1.85	5.50
" pyramidalis	1.25		
" warreana	.75	2.20	6.50
orientalis	.25	.65	2.00
" aurea nana	.35	.90	2.75
" elegantissima	.45	1.25	3.75
" compacta	.35	.90	2.75
" nana	.40	1.10	3.25
" pyramidalis (tatarica)	.30	.75	2.25
plicata, Northern Rockies	.85	2.50	7.50
" imported	.65	1.85	5.50
standishi	.85	2.50	7.50
THUJOPSIS			
dolobrata	.80	2.35	7.00
TILIA			
americana	.20	.45	1.25
cordata	.25	.65	2.00
europaea (cordata x platyphyllos)	.20	.50	1.50
platyphyllos	.20	.45	1.35
tomentosa	.20	.45	1.35
TSUGA			
canadensis	1.85	5.50	17.50
heterophylla	1.30	3.85	11.50
mertensiana	.90	2.65	8.00
sieboldi	.90	2.65	8.00
ULMUS			
parviflora	.35	.85	2.50
pumila	.35	.85	2.50
VACCINIUM			
corymbosum	.55	1.50	4.50
" from large fruited cultivated named varieties	.65	2.00	6.00

F. W. S C H U M A C H E R

VIBURNUM	oz.	1/4 lb.	lb.
acerifolium, clean	.60	1.75	5.25
alnifolium, clean	.65	1.95	
americanum, clean	.60	1.85	5.00
cassinoides	.30	1.85	2.50
dentatum	.20	.60	1.75
" clean	.45	1.25	3.75
dilatatum, clean	.55	1.50	4.50
ichangense, clean	1.00		
lantana, clean, home grown	.45	1.10	3.25
" " imported	.35	.90	2.75
" the vigorous rugosum form, clean	.60	1.50	
lentago	.30	.75	2.25
" clean	.50	1.35	4.00
nudum	.40	1.00	3.00
odoratissimum	.55	1.50	4.50
opulus, clean	.45	1.10	3.25
pubescens	.45	1.35	4.00
prunifolium, clean	.50	1.40	4.25
rufidulum, clean	.55	1.50	4.50
sargenti, clean	.65	1.95	
setigerum aurantiacum	1.00	3.00	
sieboldi, clean	.70	2.10	
tinus	.20	.50	1.50
tomentosum, clean	.50		
VITEX			
agnus castus	.20	.60	1.75
negundo	.30	.75	2.25
VITIS			
cordifolia	.35	.80	2.50
labrusca	.35	.80	2.50
rotundifolia	.45	1.35	
WASHINGTONIA			
filifera	.25	.50	1.50
robusta	.35	.85	2.50
WEIGELA			
garden varieties	.85	1/4 oz.	2.50
WISTERIA			
frutescens	.30	.75	2.25
multijuga, blue	.55	1.50	4.50
" white	.60	1.65	5.00
sinensis, blue, home grown	.45	1.25	3.75
" " imported	.45	1.20	3.50
" white, imported	.55	1.50	4.50
XANTHOCERAS			
sorbifolium	.40	1.00	3.00
ZYZYPHUS			
jujube	.20	.50	1.50

MISCELLANEOUS ITEMS

DICENTRA			
eximia	.60	1/4 oz.	2.00
LILIUM			
auratum, N. E. Tr. pkt.	1.00		
formosanum, late variety, large flowered			
white selection	3.50		
regale	1.10	3.35	10.00
LUPINUS			
Downers & Russells choice selections	1.00		
Russells imported	.50		
" home grown	.85		
polyphyllus, all colors		.85	2.50
THERMOPSIS			
caroliniana	1.00		
YUCCA			
filamentosa	.45	1.20	3.50
glauca	.75		
gloriosa	.75		

ABBREVIATION - N. E. stands for New England seed - a sign of hardiness

TERMS - 3% discount for cash with orders, for customers of approved credit 2% 10 days, 30 days net. Please include packing and forwarding charges in your remittance.

1948 crops are again disappointing in many ways. Colorado and Pacific Coast failed or are extremely short.

B O O K S

CULTIVATED CONIFERS IN NORTH AMERICA By Dr. L. H. Bailey

404 pages, 48 full page photos, 114 line drawings. Approximately 1000 conifers (species and varieties), propagation, care, disease, protection \$7.50

SEEDING and PLANTING IN THE PRACTICE OF FORESTRY

by I. W. Toumey and C. F. Korsteim

507 pages, 2nd edition. The best book on the subject \$6.00

STANDARDIZED PLANT NAMES

New second edition. Reference book to 90,000 Common and Scientific names \$10.50

MANUAL OF CULTIVATED TREES AND SHRUBS By Alfred Rehder

The best reference book available, covering in detail every hardy tree and shrub in cultivation. 996 pages \$10.50

HANDBOOK of the TREES of the NORTHERN STATES and CANADA

417 pages, 498 photographs showing trunk, leaves, twigs and fruits of each tree. \$5.50

Book prices are postpaid in U.S.A. Terms net cash with order.

